FILT!'EXX[®] Advanced Tubular Filters

CFS INSTALLER NETTING



Easy to Install. Hard to Beat.

Filtrexx Netting is the original compost filter sock netting for field installation with blower trucks or track machines. Reliable and durable, multiple mesh types ensure the right fit for your job.

BASIC Installer Netting (5 mil HDPE)

Meet all specs with this versatile, light duty mesh that is good for most applications.

BASIC+ Installer Netting (MFPP)

Meets or exceeds specs with higher durability. Available in larger diameter sizes, for any project.

Product Name	Basic Installer Netting	Basic+ Installer Netting
Netting Material Type	5mil High Density Polyethylene (HDPE)	Multi-Filament Polypropylene (MFPP)
Uses	On-site blower truck installation	
Netting Opening Size	3/8"	3/8"
Diameters	12", 18"	8", 12", 18", 24", 32"
Functional Longevity/ Project Duration ¹	up to 4 yr	up to 4 yr
Tensile Strength (ASTM D4595) ²	145 lbs	229 lbs
Packaging	Rucks	Rucks
Netting Color	orange/black (12") red/black (18")	black

¹Functional longevity ranges are estimates only. Site specific environmental conditions may result in significantly shorter or longer time periods. ²Tensile Strength is based on 12" diameter using ATSM D4595, average of MD & TD. See Filtrexx TechLink #3342 for full tensile strength testing.



888-578-0777 mkbcompany.com

©2023 MKB Company, LLC. All Rights Reserved.



All statements, product characteristics, and performance data contained herein are believed to be reliable based on observation and testing, but no representations, guarantees, or warranties of any kind are made as to accuracy, suitability for particular applications, or the results to be obtained. Nothing contained herein is to be considered to be permission or a recommendation to use any proprietary process or technology without permission of the owner. No warranty of any kind, expressed or implied, is made or intended. Filtrexx[®] and the branch & leaf logo[®] are Registered Trademarks of MKB Company. US Patents 7,226,240; 7,452,165; 8,439,607 may apply.